

INDEX MAPS.

T.1N R.2W 2nd Mer.

	86		85		85		84		84		83	
						84						
88	6	104	5	104	4	104	3	105	2	106	1	83
	102		102		103		104		105		106	
88	7	101	8	101	9	100	10	105	11	103	12	83
	101		100		100		102		104		106	
87	18	99	17	98	16	98	15	101	14	97	13	82
	99-100		99		98		97		103		97	
87	19	96	20	96	21	95	22	94	23	94	24	82
	96		96		95		95		94		93	
86	30	93	29	92	28	91	27	90	26	89	25	82
	93		93		92		91		90		89	
86	31	92	32	91	33	91	34	90	35	88	36	82
	79		79		79		80		80		81	

T.2N R.2W 2nd Mer.

	111		111		111		111		110		110	
114	6	127	5	125	4	121	3	122	2	123	1	110
	130		130		130		119		119		119	
113	7	127	8	125	9	121	10	122	11	122	12	110
	129		129		128		123		123		119	
113	18	126	17	124	16	121	15	121	14	117	13	109
	128		126		128		118		118		117	
112	19	126	20	124	21	120	22	116	23	116	24	109
	130		130		118		118		116		116	
112	30	125	29	124	28	120	27	115	26	114	25	109
	118		127		127		117		115		115	
112	31	125	32	123	33	120	34	115	35	114	36	108
	108		108		107		107		107		107	

The figures on the lines refer to the page.

T. N. J. S. R. N. 2. W. 2nd Mer. Ind.

18. 65 To a B. Oak 30. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a
 Buck 24. in. diam. bears S. 115. E. 49. lks. dist. & a
 Do 9. " " " N. 46. E. 16. " "
 61. 20 To a W. Oak 26. in. diam. stands in the line.
 80. 00 Set a Post for the Cor. of Sec. 33. & 34. T. N. J. S. R. N. 2. W.
 from which an Ash 36. in. diam. bears N. 25. E. 10. lks. dist.
 & a Buck 9. " " " S. 32. W. 25. " "
 The 1st 1/2 of this mile is very Brushy with many Briars
 & but little large timber; The last 1/2 is Ridge Land;
 & thin Soil; Timber. is mostly Oak.

- East On the Base line S. Bound. of Sec. 34. T. N. J. S. R. N. 2. W.
 9. 45 To a B. Oak 22. in. diam. stands in the line.
 38. 24 To a Buck 12. " " " " " "
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Red Oak
 36. in. diam. bears S. 30. W. 1. lks. dist. & a Sugar tree
 13. " " " N. 52. E. 80. " "
 63. 50 To a Brook 6. lks. wide; course S. E.
 68. 30 To a Gum 16. in. diam. stands in the line.
 80. 00 Set a Post for the Cor. of Sec. 34. & 35. T. N. J. S. R. N. 2. W.
 from which a Buck 15. in. diam. bears N. 7. E. 14.
 lks. dist. & a Buck 7. " " " S. 59. W. 11.
 " " " This mile is Ridge Land; Timber, Buck
 Poplar. & Sugar. Soil middling; Wood pretty Open;

- East On the Base line. S. Bound. of Sec. 35. T. N. J. S. R. N. 2. W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck. 18.
 in. diam. bears N. 23. E. 42. lks. dist. & a Do 10.
 " " " S. 33. W. 25. " "
 115. 40 To a B. Oak 24. in. diam. stands in the line.
 51. 66 To a Poplar 40. " " " " " "
 79. 13 To a W. Ash 16. " " " " " "
 80. 00 Set a Post for the Cor. to Sec. 35. & 36. T. N. J. S. R. N. 2. W.
 from which a Buck 8. in. diam.
 bears S. 43. W. 9. lks. dist. & a Do 13. " "

T. N. 1. S. R. 2. M. 2nd Mer. Ind.

bears N. 30. E. 11. lks. dist. This mile is some Broken,
Timber mostly Beech.

-
- East On the Base line S Boundary of Sec. 36. T. 1. S. R. 2. M.
7. 90 To a Buck 8 lks. wide. Course S 20. E.
16. 40 To a Spring. Course S. M.
23. 44 To a M. Ash 24. in. diam. stands in the line.
40. 00 Set a Post for the cor. to 44 Sec. from which a Buck
10. in. diam. bears N. 40. E. 30. lks. dist. & a Do.
9. " " " S. 63. M. 20. " "
64. 06 To a Buck 14. in. diam. stands in the line.
74. 40 To a remarkable cave, the mouth of which is about 30
00. 00 feet in diam.; it descends perpendicular, about 40. feet.
Then continues S. E. about 6. rods. & out at the side of a hill
80. 00 Set a post for the cor. to lot 31. 136 T¹ N. 1. S. R. 2. M. 2nd Mer. from which
Buck 13. in. diam. bears N. 35. M. 16. lks. dist. & a
Do 20. " " " S. 30. E. 38. " "
This mile is Ridge Land. Timber. Oak. Poplar &
Ash. Soil good; Spice. Undergrowth.
Surveyed by Ebenezer Buckingham Jr. D. S.
-

T. M. A. R. A. 2. M. 2nd Mer. Ind^a

North On the E. Boundary of Sec. 36. T. 1. N. R. 2. M.
 40. 00 Over hilly Oak land to an S. Oak 8. in. diam. Cor. to $\frac{1}{4}$ Sec.
 64. 30 To a W. Oak 12. in. diam. stands in the line.
 74. 00 To a Birch 50. lbs. wide. Course N. 20. W.
 80. 00 Set a Post for the Cor. to Sec. 36. & 25. from which a Birch
 20. in. diam. bears N. 31. W. 9. lbs. dist. & a Soft Maple
 12. " " " S. 50. W. 9. " " Over hilly Land
 thin soil; Oak. Timber. 2nd rate. & well watered;

North On the East Boundary of Sec. 25. T. 1. N. R. 2. M.
 16. 00 To the Vincennes Tracer.
 32. 87 To a Birch 13. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. from which a Birch 20.
 in. diam. bears S. 5. E. 25. lbs. dist. & a S. 20
 " " " N. 42. W. 21. " " 2nd rate hilly Land;
 72. 00 To a Birch 18. in. diam. stands in the line
 80. 00 Set a Post for the Cor. to Sec. 24. & 25. from which a
 Birch 10. in. diam. bears N. 41. W. 13. lbs. dist. & a
 S. 10. " " " S. 48. E. 35. " "
 2nd rate hilly Land; Timber. Bush Oak &c.

North On the E. Boundary of Sec. 24. T. 1. N. R. 2. M.
 40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. from which a Birch 7. in.
 diam. bears N. 66. E. 8. lbs. dist. & a W. Ash 11. "
 " " " S. 13. W. 15. " "
 61. 90 To a Birch 12. in. diam. stands in a large quarry of Sandstone
 80. 00 Set a Post for the Cor. to Sec. 13. & 24. T. 1. N. R. 2. M.
 from which a Birch 20. in. diam. bears N. 48. E. 50. lbs. dist.
 & a S. 8. " " " S. 48. W. 43. " "
 This mile is a crop rocky Plains leading to the W.
 Timber. the same as on the last mile; Land 2nd rate.
 Nov. 17th.

North On the E. Boundary of Sec. 13. T. 1. N. R. 2. M.
 23. 25 To an Elm 19. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. from which a Birch 18.
 in. diam. bears N. 25. W. 14. lbs. dist. & a Birch 7.

T. M. A. R. No 2nd M. 2nd Mer. Inda

in. diam. bears S. 41. W. - like this.

48. 00 To a Run 50. lbs. wide, course N.

63 60 To a Gum 16. in. diam. stands in the line

80. 00 Set a Post for the Cor. to Sec. 12. & 13. from which a
Buck. 8. in. diam. bears N. 28. E. 46. lbs. dist. To
Poplar 40. " " S. 39. W. 36. " "
Land and Timber the same as the last.

North On the East side of Sec. 12. T. M. A. R. No 2. M.

140. 00 Set a Post for the Cor. to 14 Sec. from which a Buck
30. in. diam. bears N. 16. lbs. dist. To Little
S. " " " S. 40. E. 30. lbs. dist.

80. 00 Set a Post for the Cor. to Sec. 1 & 12. T. M. A. R. No 2. M.
from which a Buck 20. in. diam. stands N. 45. W. 42.
lbs. dist. To Sec. 12. " " " S. 54. W. 13.

" " Description of the Land omitted.

North On the E. Boundary of Sec. 1. T. M. A. R. No 2. M.

18. 50 To a Poplar 40. in. diam. stands in the line.

40. 00 Set a Post for the Cor. to 14 Sec. from which a
Buck 12. in. diam. bears N. 27. W. 9. lbs. dist. To
Do 8. " " " S. 86. E. 28. " "

73. 55 To a Buck 24. in. diam. stands in the line.

80. 00 Set a Post for the Cor. to Towns 1. & 2. from which a
Buck 24. in. diam. bears N. 81. E. 30. lbs. dist. To
Do 24. " " " N. 40. W. 40. " "

This mile is high ridges. Rich soil.
Timber, Buck. Poplar, Oak. &c.

North Boundary.

West On the South side of Sec. 6. T. M. A. R. No 2. M.

23. 18 To a M. Oak 50. in. diam. stands in the line.

40. 00 Set a Post for the Cor. to 14 Sec. from which a Buck
8. in. diam. bears S. 59. W. 4. lbs. dist. To Do
14. " " " S. 11. E. 4. " "

T. N. 1. N. R. N. 2. M. 2nd Mer. Ind.

55. 50 To a W. Oak 50. in. diam. stands in the line.
 80. 00 Set a Post for the Cor. to Sec. 35. & 36. T. N. 2. N.
 R. N. 2. M. 2nd Mer. from which a Poplar 36.
 in. diam. bears S. 24. lbs. dist. & a Sugar tree 12. in. diam.
 bears N. 45. E. 33. lbs. dist. — This mile is 3rd rate
 Buck & Oak Upland. The 1st 1/4 of a mile is Rich Wood.

- West On the S. Boundary of Sec. 35. T. 2. N. R. 2. M.
 20. 00 To a W. Oak 20. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 12.
 in. diam. bears. S. 62. E. 22. lbs. dist. & a Sugar. 16.
 " " " N. 28. E. 17. " "
 58. 40 To a Buck 12. in. diam. stands in the line.
 80. 00 Set a Post for the Cor. to Sec. 34. & 35. T. 2. N. R. N. 2.
 M. 2nd Mer. from which a Buck 24. in. diam. bears
 S. 82. W. 58. lbs. dist. & a Do 24. " " "
 N. 43. E. 40. " " ; Down a Small Grain
 2nd rate Buck Upland.

- West On the South Bound. of Sec. 34. T. N. 2. N. R. N. 2. M.
 23. 00 To a Buck 18. in. diam. stands in the line.
 34. 50 To Salt Lick. Creek. Course North.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar 24.
 in. diam. bears S. 11. W. 23. lbs. dist. & a Buck 30. in.
 " " " N. 82. E. 60. " "
 80. 00 Set a Post for the Cor. to Sec. 33. & 34. in Town 2.
 N. R. N. 2. M. from which a Buck 12. in. diam.
 bears S. 53. W. 8. lbs. dist. & a Buck 8. " "
 " " " N. 19. E. 40. " " Land on this mile is
 mostly Creek Bottom, & Timber. Buck. &c.
 In Sec. 3. five chains & 60. lbs. due South from 19.
 chains & 50. lbs. — On the last mile is a Salt Spring
 breaking out at the foot of the hill, near the Surface of
 the ground. The quality of the water could not be
 ascertained, but the quantity seemed to me sufficient to
 form a Sheet of water 2. feet wide. & one inch deep.

T. N. 1. N. R. N. 2. W. 2nd Mer. Indiana

About 4 chains S.E. of this Spring is another Spring (Salt) affording more than double the quantity of water which appeared in the first Spring. These two Springs united with a fresh water Spring which breaks out between the two Springs, continue along near the surface of the ground. & form a Brook or creek of from 12. to 20. feet width in the Bottom of which at a number of places may be seen other Salt Springs Boiling up through the fresh water. & through the several Salt & fresh Springs uniting form a Stream 6. or 8. in. deep. and at least 16. feet in width - yet some distance below where the Springs appear, the whole Creek appears to be strongly impregnated with Salt. — Other Springs make their appearance where the water is low in the Bank of what I call Salt Lick Creek. as it runs through the next mile Square North ~~in~~ in Sec. 34. in Town N. 2. N. R. N. 2. W. I am well convinced that any quantity of Salt water might be obtained by digging in case the Springs are found weaker than the generality of Salt water.

It will be necessary to reserve this Sec. 34. in T. N. 2. as the appearance for Salt water by digging is equally as good on that side of the line in Sec. 3. S. of that mile square

West	On the South Boundary of Sec. 33. T. N. 2. N. R. N. 2. W.
13. 20	To a Poplar 50. in. diam. stands in the line
40. 00	Mark of the 1/4 Sec. line on an W. Oak 24. in. in diam.
50. 00	Set a Post for the cor. to Sec. 32. & 33. in T. N. 2. N. R. N. 2. W. from which a W. Oak 48. in. diam. bears S. 29. E. 40. the dir. to Hickory 14. in. diam. — N. 36. E. 24. — — This mile is poor hilly land Timber. a few Oaks & Buckeyes. &c. &c.

West	On the South Boundary of Sec. 32. T. N. 2. N. R. N. 2. W.
37. 20	To a Buck 20. in. diam. stands in the line.
40. 00	Set a Post for the cor. to 1/4 Sec. from which a Buck 24.

T. N. 1. N. P. N. 2. M. 2nd Mer. Ind.

in? diam? bears S. 69. E. 25. lks. dist? & a Beech 10.

" " " S. 52. E. 13 " " Set

50. 00 Set a Post for the Cor. to Sec. 31. & 32. in Town 2. N. P. N. 2. M. from which a M. Oak 36. in? diam? bears N. 4. W. 27. lks. dist? & a Beech 8. " " " S. 4. E. 19. " " This mile is poor. Beech hills with a few Beeches & Oaks.

West On the South Bound^y of Sec. 31. T. N. 2. N. P. N. 2. 28. 35 To a M. Oak 18. in? diam? stands in the line.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech 14. in? diam? bears N. 40. E. 39. lks. dist? & a Do 14. " " " S. 43. W. 10. " " "

49. 50 To a B. Oak 14. in? diam? stands in the line.

77. 00 To a Creek 10. lks. wide; course N. W.

80. 46 Hit Barbers Post Cor. to Towns 1. & 2. in Range 3. and 1. & 2. in Range N. 2. M. 2nd Mer. This mile is the worst of 3^d rate hills
Timber. Oak. & Beech.

Random line fell 75. lks. S. of the post. Nov. 21th.

West Boundary

North On the East Bound^y of Sec. 36. T. N. 1. N. P. N. 3. M.

33. 00 To a beech 50. lks. wide. course N. good hilly Land

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar tree 14. in? diam? bears S. 9. W. 16. lks. dist? & a Do 9. " " " N. 51. E. 8. " " "

45. 00 Rich Sugar tree Bottom of the first quality

50. 00 Set a Post for the Cor. of Sec. 25 & 36. from which a Sugar 9. in? diam? bears N. 71. E. 14. lks. dist? & a Do 14. " " " S. 68. W. 39. " " "
First rate hilly Land. Timber. Sugar. Beech &c.

North On the East Bound^y of Sec. 25. T. N. 1. N. P. N. 3. M.

17. 40 To a Beech 16. in? diam? stands in the line.

30. 58 To a Do 17. " " " " " " "

87

T. N. N. R. N. L. M. 2nd Mer. Ind.

35. 50 To a Grain 15. lbs. wide. Course N. M.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a
Buck 20. in. diam. bears N. 68. M. 14. lbs. dist. 8 u
S. 24. u u u N. 63. E. 30. u u
- *56. 50 To a Creek 30. lbs. wide. Course S. M. Steep hills; Buck timber
60. 50 To a Creek 16. u u u S. E.
- *42. 00 To the Road to Vincennes S. 70. E.
65. 11 To a Buck 18 in. diam. stands in the line,
71. 32 To a S. 17. u u u u u Bottom Land,
80. 00 Set a Post for the Cor. to Sec. 24. & 25. T. N. 1. R. N. 3. M.
from which a Buck 16. in. diam. bears N. 25.
M. 23. lbs. dist. 8 u S. 10. u u S. 12.
W. 26. u u Stony hilly Land; Buck timber.

- North On the East Boundary of Sec. 24. T. N. 1. R. N. 3. M.
10. 86 To a Buck 12. in. diam. stands in the line
18. 03 To a Sugar. 16. u u u u u
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Poplar 42
in. diam. bears S. 43. lbs. dist. 8 u S. 10
u u u N. 38. M. 16. links. dist.
49. 75 To a Poplar 10. in. diam. stands in the line
77. 26 To a M. Oak. 34 u u u u u
80. 00 Set a Post for the Cor. to Sec. 13. & 24. T. N. 1. R. N. 3. M.
from which a Hickory 14. in. diam. bears S. 74.
W. 21. lbs. dist. 8 u Dogwood 7. in. diam. bears N. 81. E. 18.
links. dist. The first 1/2 of this mile is first rate
Land: The rest is a high dividing ridge. good Soil.

- North On the East Boundary of Sec. 13. T. N. 1. R. N. 3. M.
7. 43 To a Buck 16. in. diam. stands in the line
29. 00 To a Creek 8. lbs. wide. Course M.
35. 94 To a Sugar 16. in. diam. stands in the line
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a
Buck 10. in. diam. bears S. 94. E. 12. lbs. dist. 8 u
S. 10. u u u S. 72. M. 22 u u
48. 93 To a Gum 10. in. diam. stands in the line.

T. N. 1. N. R. N. 2. W. 2nd Mer. Ind.

61. 56 To a Poplar 10. in? diam? stands in the line,
 80. 00 Set a Post for the cor. to Sec? 12. & 13. T. N. 1. R. N. 3. W.
 from which a Buck 14. in? diam? bears S. 33. E. 44. lks. dist.
 & a Do 14. " " " N. 75. W. 19. " "
 Land, Hilly, Muckling Soil. Timber. Buck. &c.

- North On the East Bound^y of Sec. N. 12. T. N. 1. R. N. 3. W.
 7. 17 To a Buck 14. in? diam? stands in the line.
 40. 00 Set a Post for the cor. to 14 Sec. from which a Buck
 14. in? diam? bears S. 82. W. 23. lks. dist. & a Do
 14 " " " S. 70. E. 16. " "
 45. 31 To a Buck 14. in? diam? stands in the line
 51. 78 To a Poplar 24. " " " " " "
 68. 52 To a Buck 10. " " " " " "
 80. 00 Set a Post for the cor. to Sec? 1. & 12. T. N. 1. R. N. 3. W.
 from which a Buck 18. in? diam? bears S. 80. W. 14. lks. dist.
 & a Gum 18. " " " N. 13. E. 10. " "
 The Land in this mile is high dividing Ridges;
 Soil Muckling; Timber. Oak. Buck. & Dogwood; &c.

- North On the E. Boundary of Sec. 1. T. N. 1. R. N. 3. W. 2nd Mer.
 13. 04 To a W. Oak 18. in? diam? stands in the line
 14. 44 To a Buck 15. " " " " " "
 110. 00 Set a Post for the cor. to 14 Sec. from which a
 Buck. 8. in? diam? bears N. 86. W. 17. lks. dist. & an
 Elm 14. " " " E. 31. lks. dist.
 68. 48 To a Sugar 12. in? diam? stands in the line
 75. 00 Steep Broken hills to Bottom.
 80. 00 Set a Post for the cor. to Towns 1. & 2. Ranges 2. & 3.
 W. where a Buck 12. in? diam? bears S. 28. E. 14. lks.
 dist. & a Do 17. " " " N. 33. lks. dist.
 This mile is good Bottom Land Timber Buck &c.
 Surveyed by Copperstone Deputy Surveyor
 Subdivisions.

North Between Sec? 35. & 36. T. N. 1. N. R. N. 2. W.

89

T. N. A. N. B. N. L. M. 2nd Mer. Ind.

15. 00 To a B. Oak 18. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar
 18. in. diam. bears N. 52. W. 13. lbs. dist. & a Buck
 11. " " " N. 83. E. 27. " "
 67. 63 To a Sugar 11. in. diam. stands in the line.
 80. 00 Set a Post for the Cor. to Sec. 25. 26. 35. & 36. from
 which a Sugar 8. in. diam. bears N. 7. E. 46. lbs. dist.
 & a B. 12. " " " S. 18. W. 13. " "
 Land, Hilby 2nd rate. Timber &c. the same as above.

- West Between Sec. 25. & 36. T. N. A. N. B. N. L. M. 2nd Mer
 9. 00 To a Run 50. lbs. wide. course N. 20. W.
 40. 07 Set a Post for the Cor. to 1/4 Sec. from which a Buck 18.
 50. in. diam. bears N. 75. W. 17. lbs. dist. & a Sugar 8.
 " " " N. 52. E. 44. " "
 50. 14 Set a Post for the Cor. to Sec. 25. 26. 35. & 36. T. N. A.
 N. B. N. L. M. 2nd Mer. in Land 2nd rate.
 Over hilly Buck Land.

- East On a Random line Between Sec. 25. & 36.
 40. 00 Set a Temp^l post for the Cor. to 1/4 Sec.
 50. 14 Intersected the A. J. S. line & fell 50. lbs. S. of the Post
 set for the Cor. to Sec. 25. & 36.

- North Between Sec. 23. & 26. T. N. A. N. B. N. L. M. 2nd Mer
 26. 80 To a Sugar 9. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar
 7. in. diam. bears S. 14. W. 20 lbs. dist. & a Buck
 11. " " " N. 14. E. 33. " "
 115. 00 To a Buck 50. lbs. wide. course N.
 47. 00 To the Arneres Trace,
 48. 00 To a Quarry of Stones.
 63. 75 To a Buck 15. in. diam. stands in the line.
 80. 00 Set a Post for the Cor. to Sec. 23. 24. 25. & 26. from which
 a Buck 8. in. diam. bears N. 24. E. 36. lbs. dist. & a
 B. M. " " " S. 25. W. 10. " "

T. N. 1. N. R. N. 2. M. 2nd Mer. Ind. a.

Land &c. the same as on the last mile. Nov. 15. 18.

- North Between Sec. 34. & 35. T. N. 1. N. R. N. 2. M.
6. 27 To a Sugar 16. in. diam. stands in the line.
26. 79 To a Beech 24. " " " " " "
46. 00 Set a Post for the cor. to 44 Sec. from which a Beech 24. in. diam. bears N. 67. E. 25. Mts. dist. & a Lo 10 " " " S. 67. M. 12. " "
51. 82 To a Beech 24. in. diam. stands in the line.
80. 00 Set a Post for the cor. to Sec. 26. 27. 34. & 35. from which a Beech 18. in. diam. bears S. 33. E. 43. Mts. dist. & a Lo 18. " " " N. 36. E. 52. " "
- Land Hilley & Indrate; Timber. Beech. &c.

- North Between Sec. 26. & 27. T. N. 1. N. R. N. 2. M.
13. 34 To a Poplar. 36. in. diam. stands in the line
40. 00 Set a Post for the cor. to 44 Sec. from which a Beech 15. in. diam. bears N. 33. E. 36. Mts. dist. & a Lo 11. " " " N. 83. M. 37. " "
49. 00 To a W. Oak 20. in. diam. stands in the line.
80. 00 Set a post for the cor. to Sec. 22. 23. 26. & 27. from which a Beech 21. in. diam. bears N. 11. E. 34. Mts. dist. & a Lo 8. " " " S. 46. M. 15. " "
- Land &c. the same as on the last mile.

- West On True line Between Sec. 26. & 35. T. 1. N. R. 2. M.
40. 09 Set a Post for the cor. to 44 Sec. at the aver. dist. on true line from which a Sugar 8. in. diam. bears S. 35. E. 16. Mts. dist. & a Poplar 7. in. diam. bears N. 3. M. 58. Mts. dist.
80. 18 To a Post for the cor. to Sec. 26. 27. 34. & 35.
- This mile is thinly Timbered with Oak.

- East On a Random line Between Sec. 26. & 35. T. 1. N. R. 2.
40. 00 Set a Imp. post for the cor. to 44 Sec.
80. 18 Intersected the N. & S. line & fell 40. Mts. S. of the Post set for the cor. to Sec. 25. 26. 35. & 36.

T. N. 1. N. R. N. 2. M. 2nd Mer. Ind.

- North Between Sec? 33. & 34. T. N. 1. N. R. N. 2. M.
 5. 70 To a Beech 18. in? diam? stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which an Elm - in?
 diam? bears N. 14. E. 34. lbs. dist. & a Beech 20. in?
 " " S. 54. W. 44 " "
 49. 00 To a Beech 15. in? diam? stands in the line.
 50. 00 Set a Post for the Cor. to Sec? 27. 28. 33. & 34. from which
 a Beech 8. in? diam? bears N. 19. W. 12. lbs. dist. & a
 Do. 7. " " " S. 17. W. 13. " "
 Land on this mile is hilly & moderate. Good Soil.
 Timber, Beech, Oak, &c. &c.

- East On a Random line between Sec? 27. & 34.
 40. 00 Set a Temp? Post for the Cor. to 1/4 Sec.
 50. 00 Intersecting the N. & E. line & fell 38. lbs. S. of the post
 set for the Cor. to Sec? 26. 27. 34. & 35.

- West On True line Between Sec? 27. & 34. T. N. 1. N. R. N. 2. M.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech 14.
 in? diam? bears S. 81. E. 8. lbs. dist. & a Do. " 12
 " " " N. 80. W. 21. " "
 80. 00 To the Post for the Cor. to Sec? 27. & 28. 33. & 34.
 Land &c. on this mile the same as the last.

- North Between Sec? 27. & 28. T. N. 1. N. R. N. 2. M.
 3. 07 To a Beech 20. in? diam? stands in the line,
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech
 20. in? diam? bears S. 86. E. 8. lbs. dist. & a Do.
 6. " " " N. 86. W. 15. " "
 80. 00 To a Beech 7. in? diam? which is Cor. to Sec? 21.
 22. 27. & 28. Land &c. the same as above. & to 16th

- North Between Sec? 32. & 33. T. N. 1. N. R. N. 2. M.
 2. 50 To a M. Oak 20. in? diam? stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech.
 18. in? diam? bears S. 12. E. 35. lbs. dist. & a Do.

T. N. 1. N. Co. N. 2. N. 2nd Sec. Ind.

20. in? diam? bears S. 60. N. 17. lbs. dist.

60. 00 To a Run 10. lbs. wide. Course N. 45. N.

68. 60 To a Sugar 8. in? diam? stands in the line.

80. 00 To a Beech 8. in? ~ ~ for the Cor. to Sec? 28, 29.

32. & 33. Land Hilly Rocky & Timber same.

East On a Random line Between Sec? 28. & 33.

40. 00 Set a Temp? Post for the Cor. to 44. Sec.

80. 20 Intersect the 1. & U. line & fell 13. lbs. E. of the Post
set for the Cor. to Sec? 27. 28. 33. & 34.

West On True line Between Sec? 28. & 33. T. 1. N. R. 2. N.

40. 10 To a Beech 8. in? diam? which stands for the Cor. to 44. Sec.

80. 20 To the Post which stands for the Cor. to Sec? 28. 29. 32.
& 33. This mile is over hilly Land. Timber more
Oak. than Beech Sugar. &c.; The Grains are Rocky.

North Between Sec? 28. & 29. T. N. 1. N. Co. N. 2. N.

40. 00 Set a Post for the Cor. to 44. Sec. from which a Beech
8. in? diam? bears S. 64. N. 24. lbs. dist. & a Do.

8. ~ ~ ~ N. 47. E. 30. ~ ~ ~

80. 00 Set a Post for the Cor. to Sec? 20. 21. 28. & 29. from
which a Beech 14. in? diam? bears N. 78. E. 35. lbs.
dist. & a Do. 8. ~ ~ ~ N. 58. N. 20 ~

~ Land in this mile is the same as in the last
Imitate. & Hilly; Timber as above with the addition
of Ash. & Poplar.

North Between Sec? 31. & 32. T. N. 1. N. Co. N. 2. N.

20. 00 To a Beech 40. lbs. wide. Course S. 40. N.

40. 00 Notes taken with a pencil & defaced.

80. 00 Set a Post for the Cor. to Sec? 29. 30. 31. & 32. from which
a Sugar 12. in? diam? bears S. 22. N. 10. lbs. dist. & a

Do 10. ~ ~ ~ S. 35. E. 14. ~ ~ ~

Land Hilly. Timber. Beech & Poplar.

93

T. No 1. N. R. No 2. M. 2nd Mer. Ind^a

East On a Random line Between Sec? 29. & 32.
 110. 00 Set a Temp^y post for the Cor. to 1/4 Sec.
 80. 00 Intersected the N. & E. line & fell 20. lks. S. of the Post.
 set for the Cor. to Sec? 28. 29. 32. & 33.

West On True line Between Sec? 29. & 32. T. No 1. N. R. No 2.
 28. 00 To a Gum 15. lks. wide, course South.
 110 00 Set a Post for the Cor. to 1/4 Sec. from which a
 Sugar st. in? diam? bears S. 47. N. 35. lks. dist & a
 Buck st. " " " N. 55. E. 30. lks. dist
 51. 00 To a Gum 10. lks. wide, course S. 20. W.
 80. 00 To the Post set for the Cor. to Sec? 29. 30. 31. & 32.
 Land flat & ridgy, Timber the same as the last mile.

North Between Sec? 29. & 30. T. No 1. N. R. No 2. M. 2nd Mer.
 110. 00 To a B. Oak st. in? diam? which stands for the Cor. to 1/4 Sec.
 60. 00 To the Concess Trace.
 80. 00 To the Post set for the Cor. to Sec? 19. 20. 29. & 30. Notes of
 the Bearings not taken by mistake, Land Hilley.
 Timber. Buck. Oak. &c.

East On a Random line Between Sec? 30. & 31. T. No 1. N. R. No 2. M.
 110. 00 Set a Temp^y post for the Cor. to 1/4 Sec.
 80, 00 Intersected the N. & E. line at the Post set for the Cor. to
 Sec? 29. 30. 31. & 32.

West On True line Between Sec? 30. & 31. T. No 1. N. R. No 2. M.
 110. 00 To a Buck 13. in? diam? which stands for the Cor. to 1/4 Sec.
 80. 00 To the Post set for the Cor. to Sec? 30. & 31. Over flat
 ridgy, Timber, the same as in the last mile,

West On True line Between Sec? 24. & 25. T. No 1. N. R. No 2. M.
 110. 08 To a Buck 30. in? diam? which stands for the Cor. to 1/4 Sec.
 80. 16 To the Post set for the Cor. to Sec? 23. 24. 25. & 26.
 Over flat ridgy, Timber as the last. Land 2nd rate & Hilley.
 Random line fell S. of the Post 25. lks.

T. N. 1. N. R. N. 2. M. 2nd Mer. Indiana

- North Between Secs. 23. & 24. T. N. 1. N. R. N. 2. M.
 7. 00 To a Run 30. lbs. wide. Course N.
 12. 50 To a Buck 6. in? diam? stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Sugar
 & in? diam? bears East 14. lbs. dist & a Do.
 7. " " " West 6. " "
 80. 00 Set a Post for the Cor. to Secs. 13. 14. 23. & 24. T. N.
 1. N. R. N. 2. M. 2nd Mer. from which a
 Buck 11. in? diam? bears N. 56. E. 20. lbs. dist. & a
 Do 12. " " " N. 73. M. 23. " "
 Land Widely; Grains Picking. Timber same as the last.

- East On a Random line Between Secs. 23. & 26.
 40. 00 Set a Sump? post for the Cor. to 1/4 Sec.
 80. 40 Intersected the N. & E. line & fell 80. lbs. N. of the post.
 set for the Cor. to Secs. 23. 24. 25. & 26.

- West On True line Between Secs. 23. & 26. T. N. 1. N. R. 2. M.
 16. 00 To a Run 5. lbs. wide. Course S. 46. M.
 40. 20 Set a Post for the Cor. to 1/4 Sec. at over dist? on true line
 from which a Buck 20. in? diam? bears N. 56. M. 13. lbs.
 dist? & a Do 18. " " " N. 78 E. 23. " dist?
 68. 00 To the Vincennes trace
 79. 00 To a Run 20. lbs. wide. Course N. 50. E.
 80. 40 To the Post set for the Cor. to Secs. 22. 23. 26. & 27
 Land and Timber the same as in the last mile.

- North Between Secs. 22. & 23. T. N. 1. N. R. N. 2. M.
 14. 50 To a Buck 60. lbs. wide. Course N. 45. M.
 28. 20 To the Vincennes Trace.
 28. 20 To a Sugar 18. in? diam? stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck
 18. in? diam? bears South 20. lbs. dist? & a Do
 12. " " " N. 26. E. 20. " "
 80. 00 Set a Post for the Cor. to Secs. 22. & 23. 14. & 15. T. N. 1. N.
 R. N. 2. M. 2nd Mer. from which a Buck 14. in?

T. N. A. R. A. 2. M. 2nd Mer. Indiana
 S. 1st M.

diam. bears S. 11. M. 25. lbs. dist. 7a Do 15. in.

North 55. lbs. dist. Land & Timber as above.

East On a Bound line Between Sec. 22. & 27. T. 1. R. 2.
 110. 00 Set a Temp^y post for the Cor. to 1/4 Sec.
 80. 00 Intersected the N. & E. line & fell 15. lbs. of the Post
 set for the Cor. to Sec. 22. 23. 26. & 27.

West On True line Between Sec. 22. & 27. T. 1. R. 2. M.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which pt was dist
 on True line) a Buck 30. in. diam. bears N. 54. M. 22. lbs.
 dist. 8a Buck 8. " " " S. 7. E. 37. lbs. dist.
 68. 00 To a Run 15. in. diam. stands in the line.
 80. 00 Set a Post for the Cor. to Sec. 21. 22. 27. & 28. Over
 hilly Rocky Land; Well watered & 2nd rate.
 Timber the same as on the last mile

North Between Sec. 21. & 22. T. N. A. R. A. 2. M. 2nd Mer
 8. 25 To the Vincennes Truce.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a
 Buck 12. in. diam. bears S. 22. M. 40. lbs. dist. 8a
 Do 14. " " " N. 43. E. 20. " "
 58. 00 To a bridge of Rocks. 20. feet perpendicular.
 80. 00 Set a Post for the Cor. to Sec. 15. 16. 21. 22. from which a
 Hickory 24. in. diam. bears N. 67. E. 20. lbs. dist. 8a
 Buck 10. " " " S. 67. M. 13. " "
 Land, Hilly. &c. Timber the same as on the last mile

East On a Bound line Between Sec. 21. & 28. T. 1 R. 2.
 40. 00 Set a Temp^y post for the Cor. to 1/4 Sec.
 80. 00 Intersecting the N. & E. line at the post set for the Cor.
 to Sec. 21. 22. 27. & 28. Turn N. Range N. 2.

West On True line Between Sec. 21. & 28. T. 1. R. 2. M.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 30. in. bears
 N. 80. E. 10. lbs. dist. 8a Do 7. in. diam. bears S. 80. M. 38. lbs. dist.

T. N. 1. N. R. N. 2. M. 2nd Mer. Ind.

80. 00 Set the Post for the Cor. to Sec. 20. 21. 28. & 29.
Land & Timber the same as on the last mile.

North Between Sec. 20. & 21. T. N. 1. N. R. N. 2. M. 2nd Mer.
8. 25 To the Vincennes Tracer.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 18.
in? diam? bears S. 64. M. 18. lbs. dist. & a Sec. 20.
" " " N. 37. E. 76. " "

54. 00 To a Hickory 36. in? diam? stands in the line.

80. 00 To a Poplar 8. in? diam? which stands for the Cor. to
Sec. 16. 17. 20. & 21. T. N. 1. N. R. N. 2. M. 2nd Mer.
Land & Timber. The same as the last mile. No. 18th.

West Between Sec. 20. & 29. T. N. 1. N. R. N. 2. M. 2nd Mer.
14. 50 To the Vincennes Tracer.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 18.
in? diam? bears N. 46. M. 29. lbs. dist. & a Poplar 7.
" " " S. 18. M. 15. " "

45. 25 To a Run 40. lbs. wide. Course S. 45. M.

80. 00 To the Post set for the Cor. to Sec. 19. 20. 29. & 30.
Land 2nd rate flat Ridges. Good Soil; Timber
Buck. Oak. Poplar. Dogwood &c.

North Between Sec. 19. & 20. T. N. 1. N. R. N. 2. M. 2nd Mer.
19. 50 To a Run 30. lbs. wide; Course S. 40. M.

29. 70 To a Buck 15. in? diam? stands in the line

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a
Buck 14. in? diam? bears North 25. lbs. dist. & a
Mulberry 12. " " " S. 17. E. 9. " "

67. 90 To a Gum 20. in? diam? stands in the line

80. 00 Set a Post for the Cor. to Sec. 17. 18. 19. & 20. from which
a Buck 8. in? diam? bears N. 16. E. 31. lbs. dist. & a
Sec. 15. " " " S. 78. M. 20. " "

Land on this mile 2nd rate. Timber, Buck, Sugar, Oak, &c.

East On a Random line Between Sec. 19. & 30. T. N. 1. R. 2.

T. N. 1. N. 16. N. 2. M. 2nd Mer (Inda)

80. 00 Intersected the N. & E. line & fell N. of the Post 20. lks.

West On True line Between Sec? 15. & 22. T. 1. N. 16. 2. M.

29. 50 To a Gum 50. lks. wide. Course N.

110. 00 Set a Post for the cor. to $\frac{1}{4}$ Sec. from which a Sugar 8. in? diam? bears N. 30. M. 14. lks. dist? & a Do 11.

~ ~ ~ S. 30. E. 20. ~ ~

80. 00 To the Post set for the cor. to Sec? 15. 16. 21. & 22. Land & Timber the same as in the last mile.

North Between Sec? 15. & 16. T. N. 1. N. 16. N. 2. M.

5. 59 To a Buck 8. in? diam? stands in the line.

25. 00 To a Gum 30. lks. wide. N. 8. M.

110. 00 Set a Post for the cor. to $\frac{1}{4}$ Sec. from which a Buck 14. in? diam? bears N. 36. E. 12. lks. dist? & a Do 14. ~ ~ ~ S. 36. M. 17. ~ ~

56. 85 To a Buck 13 in? diam? stands in the line

75. 00 To a Gum 16. lks. wide. Course N. 50. E.

80. 00 To a Buck 20. in? diam? which stands for the cor to Sec? 9. 10. 15. & 16. Land Hilly Inacult. Buck Oak &c.

East On a Random line Between Sec? 16. & 21. T. 1. N. 16. 2.

110. 00 Set a Temp? post for the cor. to $\frac{1}{4}$ Sec.

80. 00 Intersected the N. & E. line & fell 19. lks. N. of the Post. set for the cor. to Sec? 15. 16. 21. & 22.

West On a True line Between Sec? 16. & 21. T. 1. N. 16. 2. N.

110. 00 To a Buck 8. in? diam? which is cor. to $\frac{1}{4}$ Sec.

80. 00 To the Post set for the cor. to Sec? 15. 16. 21. & 22. Land & Timber the same as in the last mile; no water.

North Between Sec? 16. & 17. T. N. 1. N. 16. N. 2. M. 2nd Mer

40. 00 To a Buck 20. in? diam? which stands for the cor. to $\frac{1}{4}$ Sec.

63. 60 To a Gum 20. ~ ~ ~ in the line

80. 00 Set a Post for the cor. to Sec? 8. 9. 16. & 17. from which a Buck 8. in? diam? bears N. 82. E. 28. lks. dist? & a

T. N. 1. N. 2. N. 2. N. 2. 2nd Mer. Ind.

Buck 14. in. diam. bears S. 82. W. 12. lbs. dist
Land. Timber the same as in the last mile.

East On a Random line Between Sec. 17. & 20. T. 1. N. 2.
40. 00 Set a Temp. post for the Cor. to 14 Che.
50. 00 Intersected the N. & S. line & fell 49. lbs. S. of the Post.
set for the Cor. to Che. 16. 17. 20. & 21.

West On True line Between Sec. 17. & 20. T. 1. N. 2. M.
110 00 Set a Post for the Cor. to 14 Che. at aver. distance on
True line. from which a Buck 18. in. diam. bears
N. 8. W. 11. lbs. dist & a Buck 9. " " "
S. 8. E. 15. " "
50. 00 To the Post set for the Cor. to Sec. 17. 18. 19. & 20.
Land & Timber the same as in the last mile

North Between Sec. 17. & 18. T. N. 1. N. 2. N. 2. M.
7. 70 To a Buck 24. in. diam. stands in the line.
21. 00 To a Run 10 lbs. wide. Course S. 15. W.
40. 00 Set a Post for the Cor. to 14 Che. from which a Buck 14
in. diam. bears S. 4. W. 14. lbs. dist & a W. Oak. 18.
" " " N. 4. E. 7. " "
18. 70 To a Buck 15. in. diam. stands in the line.
50. 00 Set a Post for the Cor. to Sec. 7. 8. 17. & 18. from which
a Buck 18. in. diam. bears S. 72. E. 35. lbs. dist & a
Do 11. " " " N. 13. W. 60. " "
Land. Hilley & Dry 3rd rate; Timber. Oak & some Buck.

West* On a True line Between Sec. 18. & 19. T. 1. N. 2. M.
15. 00 To a Brook 10. lbs. wide. Course S. 40. W.
40. 00 Set a Post for the Cor. to 14 Che. from which a Buck 20.
in. diam. bears N. 57. W. 43. lbs. dist & a Do. 20
" " " S. 70. E. 35 " "
50. 29 To the Post set for the Cor. to Sec. 18. & 19. T. 1. N. 2. M.
Land 2nd rate flat ridges. Timber. Buck. Apple

T. N. 1. N. R. N. 2. M. 2nd Mer. Ind^a.

- * East On a Random line Between Sec^s 18. & 19. T. 1. R. 2.
 40. 00 Set a Simple Post for the Cor. to 1/4 Sec.
 80. 29 Intersected the N. & E. line & fell S. of the Post 19. lbs.
 Cor. of Sec^s 17. 18. 19. & 20. Nov. 20th

- North Between Sec^s 9. & 10. T. N. 1. N. R. N. 2. M. 2nd Mer.
 18. 00 To a Run 20. lbs. wide: Course E.
 40. 00 Set a Post for the Cor. to 1/4 Sec; no timber.
 80. 00 Set a Post for the Cor. to Sec^s 3. 4. 9. & 10. from which a
 Beech 14 in. diam. bears N. 29. E. 50. lbs. dist. & a
 Do 20. " " " N. 89. E. 12. " "
 Barrens 3rd rate; A few Oaks.

- East On a Random line Between Sec^s 8. & 17. T. 1. R. 2. N.
 40. 00 Set a Simple Post for the Cor. to 1/4 Sec.
 80. 00 Intersected the N. & E. line & fell 16. lbs. South of the
 Post set for the Cor. to Sec^s 8. 9. 16. & 17.

- West On True line Between Sec^s 8. & 17. T. N. 1. N. R. 2. M.
 10. 00 Set a Post for the Cor. to 1/4 Sec. at the aver. dist. in True
 line, from which a Beech 14 in. diam. bears S. 65. W. 52
 lbs. dist. & a Gum 18. " " S. 35. E. 28. lbs.
 80. 00 Set a Post for the Cor. to Sec^s 8. 9. 16. & 17.
 Land on this side is hilly Rocky. &c. 2nd rate.
 Timber. Beech. Oak. Poplar. &c. &c.

- East On a Random line Between Sec^s 9. & 16. T. 1. N. R. 2.
 40. 00 Set a Simple Post for the Cor. to 1/4 Sec.
 80. 00 Intersected the N. & E. line & fell 37. lbs. N. of the Post
 set for the Cor. to Sec^s 9. 10. 15. & 16.

- West On True line Between Sec^s 9. & 16. T. 1. N. R. 2. M.
 40. 00 Set a Post for the Cor. to 1/4 Sec. at aver. dist. in True
 line from which a Beech 14 in. diam. bears S. 78. W.
 28. lbs. dist. & a Do 11. " " S. 30. E. 10. lbs.
 80. 00 To the Post set for the Cor. to Sec^s 8. 9. 16. & 17.

T. N. 1. N. Sec. N. 2. M. 2nd Mer. Ind. a.

Land & Timber same as on the last mile

North Between Sec. 8. & 9. T. N. 1. N. Sec. N. 2. M. 2nd Mer.
 24. 00 To a M. Oak 20. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a M. Oak 30.
 in. diam. bears S. 35. E. 30. lbs. dist. & a Buck 11.
 " " " N. 58. W. 8. " "
 118. 76 To a Buck 10. in. diam. stands in the line.
 80. 00 Set a Post for the Cor. to Sec. 14. 5. 8. & 9. from which a
 M. Oak 30. in. diam. bears South 86. lbs. dist. & an
 S. Oak 18. " " " S. 71. E. 66. " "
 Land 2nd rate. Hillly & Dry. Mostly Oak Timber.

North Between Sec. 14. & 15. T. N. 1. N. Sec. N. 2. M. 2nd Mer.
 110. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 11.
 in. diam. bears S. 22. E. 45. lbs. dist. & a Co. 7.
 " " " N. 22. W. 30. " "
 80. 00 Set a Post for the Cor. to Sec. 10. 11. 14. & 15. from which
 a Buck 20. in. diam. bears N. 57. W. 67. lbs. dist. & an
 Elm 24. " " " S. 86. E. 20. " "
 This mile is hillly Buck Land.

East On a Random line between Sec. 7. & 18. T. N. 1. N. Sec. N. 2. M.
 110. 00 Set a Temp^l post for the Cor. to 1/4 Sec.
 80. 11 Intersected the N. & S. line at a fell. E. of the Post 80. lbs.

West On True line Between Sec. 8. & 17. T. N. 1. N. Sec. N. 2. M.
 110. 00 Set a Post for the Cor. to 1/4 Sec. at an dist. on True line
 from which a Buck 20. in. diam. bears S. 33. W. 30.
 lbs. dist. & a Dogwood 7. " " " N. 88. E. 16. lbs. dist.
 80. 11 To the Post set for the Cor. to Sec. 7. & 18. T. N. 1. N. Sec. N. 2. M.
 Land Hillly 3rd rate. Timber. Oak. Dogwood &c.

North Between Sec. 7. & 8. T. N. 1. N. Sec. N. 2. M. 2nd Mer.
 18. 00 To an Co. Oak 24. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 8.

T. N. A. N. Co. N. 2. W. 2nd Mer. (Inda)

in? diam? bears N. 39. W. 18. lbs. dist. 1/2 a Do 20.

" " " N. 51. E. 25. " "

67. 50 To a Poplar 36. in? diam? stands in the line

80. 00 Set a Post for the Cor. to Sec? 5. 6. 7. & 8. from which a

Buck 1 1/2 in? diam? bears S. 11. E. 23. lbs. dist. 1/2 a

Do 8. " " " N. 29. E. 29. " "

Land & Timber the Same as above.

East Between Sec? 6. & 7. T. N. A. N. Co. N. 2. W. Random

110. 00 Set a Temp? Post for the Cor. to 1/4 Sec.

50. 10 Intersected the N. & E. line 80. lbs. S. of the Post set
for the Cor. to Sec? 5. 6. 7. & 8. Nov. 21st

West On True line Between Sec? 6. & 7. T. N. A. N. Co. N. 2. W.

110. 00 Set a Post for the Cor. to 1/4 Sec. at even dist. on True
line, from which a Buck 7 in? diam? bears S. 50. W. 16.

lbs. dist. 1/2 a Do 18 in? diam? bears N. 79. E. 22. lbs. dist.

80. 10 To the Post set for the Cor. to Sec? 6. & 7.

Land & Timber the same as above.

West On True line Between Sec? 10. & 15. T. N. A. N. Co. N. 2. W.

6. 00 To a Run 50. lbs. wide. Course N. 12. E.

40. 00 To a Sugar 8 in? diam? which stands for the Cor. to 1/4 Sec.

75. 00 To a Run 10. lbs. wide Course N. 45. E.

80. 00 To the Post set for the Cor. to Sec? 9. 10. 15. & 16.

Indute Land. Timber Buck. &c. &c.

East On a Random line Between Sec? 5. & 8. T. N. A. N. Co. N. 2. W.

110. 00 Set a Temp? Post for the Cor. to 1/4 Sec.

80. 00 Intersected the N. & E. line 17. lbs. N. of the Post
set for the Cor. to Sec? 4. 5. 8. & 9.

West On True line Between Sec? 5. & 8. T. N. A. N. Co. N. 2. W.

40. 00 Set the Temp? Post at the even. dist. on true line
for the Cor. to 1/4 Sec. on a Buck 8 in? diam?

80. 00 To the Post set for the Cor. to Sec? 5. 6. 7. & 8.

T. N. 1. N. R. N. 2. M. 2nd Mer. Ind.

East On a Bounden line Between Sec. 11. & 14. T. 1. R. 2.
 110. 00 Set a Temp. post for the Cor. to 1/4 Sec.
 80. 00 Intersected the N. & E. line 3 9. Mts. N. of the Post set
 for the Cor. to Sec. 11. 12. 13. & 14.

West On True line Between Sec. 11. & 14. T. 1. R. 2. M.
 40. 00 Set a Post for the Cor. to 1/4 Sec. at aver. dist. on True
 line from which a Beech 7. in. diam. bears N. 68. E.
 14. 7. Mts. dist. & a Do 7. " " " S. 68. M.
 10. " "
 75. 60 To a Run 50. Mts. wide. Course N. 20. M.
 80. 00 To the Post set for the Cor. to Sec. 10. 11. 14. & 15.
 Land & Timber the same as in the last mile.

West On True line Between Sec. 3. & 10. T. N. 1. N. R. N. 2. M.
 20. 00 To a Creek 80. Mts. wide. Course N.
 40. 00 To a M. Ash 14 in. diam. which stands for the Cor. to 1/4 Sec.
 80. 00 To the post set for the Cor. to Sec. 3. 4. 9. & 10.
 Land & Timber the same as in the last mile.

North Between Sec. 3. & 4. T. N. 1. N. R. N. 2. M. 2nd Mer.
 4. 06 To a Beech 12. in. diam. stands in the line.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a
 Beech. — in. diam. bears N. 46. E. 50. Mts. dist. & a
 Do 6. " " " S. 35. M. 28. " "
 80. 10 Hit the Post Cor. to Sec. 3. 4. 33. & 34. Nov. 23. 1804

North Between Sec. 4. & 5. T. N. 1. N. R. N. 2. M. 2nd Mer.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Beech
 11. in. diam. bears N. 74. E. 38. Mts. dist. & a Do
 10. " " " S. 24. E. 32. " "
 80. 09 Hit the post on the Division line. Cor. to Sec. 4. 5.
 32. & 33. Land Hilly 2nd rate. Timber Beech. Oak &c.

North Between Sec. 5. & 6. T. N. 1. N. R. N. 2. M. 2nd Mer.
 40. 00 To a Beech 11. in. diam. which stands for the Cor. to 1/4 Sec.

T. N. 1. N. R. N. 2. M. 2nd Mer. Ind.^a

30. 08 Hit the Post on the Division line bet. to Sec. 5. 6. 31. & 32.
Land &c. the same as the last mile.

North Between Sec. 2. & 3. T. N. 1. N. R. N. 2. M. 2nd Mer.

22. 50 To a Buck 24. in. diam. stands in the line.
35. 00 To a Creek 50. lbs. wide. Course N. 45. E.
40. 00 Set a Post for the cor. to 1/4 Sec. from which a —
12. in. diam. bears N. 39. E. — & a Sugar.
20. " " " S. 28. W. 25. lbs. dist
42. 00 To a Creek — lbs. wide. Course N. 10. W.
57. 00 To a M. Ash 24. in. diam. stands in the line.
80. 12. Hit the Post on Division line bet. to Sec. 2. & 3.
Land & Hilly. & 1st rate. Timber. Buck. Ash. Oak &c.
Nov. 21st. 1804.

North Between Sec. 10. & 11. T. N. 1. N. R. N. 2. M. 2nd Mer.

6. 00 To a Creek. 75. lbs. wide. Course —
11. 00 To a Poplar 6.9. in. diam. stands in the line.
15. 50 To the same Creek 6.9. lbs. wide; course, W.
40. 00 Set a Post for the cor. to 1/4 Sec. from which a Buck 30.
in. diam. bears N. 4. E. 30. lbs. dist. & a Do. 11.
" " " N. 59. W. 13. " "
54. 00 To a Buck 18. in. diam. stands in the line.
80. 00 Set a Post for the cor. to Sec. 2. 3. 10. & 11. T. N. 1. N. R. N. 2. M.
from which a Buck 10. in. diam. bears N. 68. E. 22. lbs.
dist. & a Do. 9. " " " S. 60. E. 20. lbs. dist.
The 1st half of this mile is Creek Bottom. the 2nd 1/2.
is 2nd rate hills; Buck Timber.

West Between Sec. 2. & 11. T. N. 1. N. R. N. 2. M. 2nd Mer.

39. 50 Set a Post for the cor. to 1/4 Sec. from which a Buck 18.
in. diam. bears N. 50. W. 37. lbs. dist. & a Buck. 18.
" " " N. 74. E. 27. " "
72. 00 To a Buck 24 in. diam. stands in the line
79. 00 Struck the Post set for the cor. to Sec. 2. 3. 10. & 11.
Steep hills. & Buck. Timber.

T. N. 1. N. R. N. 2. M. 2nd Mer. Ind.

West Between Sec. 1. & 12. T. N. 1. N. R. N. 2. M.
 20. 00 Set a Poplar 40. in. diam. stands in the line.
 40. 00 Set a Post for the cor. to 14 Sec. from which a
 Buck. 14. in. diam. bears S. 81. E. 17. lbs. dist. & a
 Do 9. " " " N 51. W 23. " "
 80. 00 Struck the Post which stands for the cor. to Sec.
 1. 2. 11. & 12. Land & Timber is the same as on the last.

North Between Sec. 1. & 2. T. N. 1. N. R. N. 2. M.
 40. 00 Set a Post for the cor. to 14 Sec. from which a Buck.
 10. in. diam. bears S. 67. E. 30. lbs. dist. & a W. Oak
 9. " " " N. 44. E. 46. " "
 42. 00 To a W. Oak 20. in. diam. stands in the line
 80. 00 Intersected the N. Boundary of T. 1. N. R. N. 2.
 M. 2nd Mer. at the post set for the cor. to Sec.
 35. & 36. T. 2. N. R. N. 2. M. 2nd Mer. & 1. & 2. in
 Town 1. N. R. N. 2. M. 3rd rate Land. Buck & Oak.

Surveyed by
 Cupper. & Stone,

I certify that the foregoing transcript of the field
 notes of Township N. 1, North of Range N. 2 West
 2nd Mer. Indiana, has been compared with the Orig-
 inal notes in this Office and found to be correct.

Recorder General's Office,
 Cincinnati, Dec. 11. 1839

E. S. Geary
 Secy. Genl.

West Between Sec. 12 & 13. T. N. 1. N. R. N. 2. M.
 39. 07 To a Buck 10 in. diam. stands for the cor. to 14 sec.
 78. 14 To the post set for the cor. to Sec. 11. 12. 13. 14 Land and
 Timber as above; Random fell N. 35 links
 See the proper place for the above line